



SCHEDA TECNICA

# CENTRAL VACUUM UNIT CVS 200 S ATEX Z22

---

## ASPIRATORI INDUSTRIALI CERTIFICATI ATEX

---

The **CVS 200 S ATEX Z22** unit of Depureco's ATEX series (Central Vacuum System) is a fixed **suction unit**, **ATEX certified**, for **centralized systems** located in **areas at risk of explosion**. Combined with a **filter unit** (DV-AIR), also **ATEX certified**, it has the purpose of powering a **large centralized system** with **numerous suction points**, even at different heights. The **CVS 200 S ATEX Z22** is designed taking into account the **power required**, the type of **material to be vacuumed**, the distance of the pipes, the contemporaneity of the **suction vents**, and the various **needs of the customer**. It can be equipped with different engine sizes (**side-channel turbines**) depending on the **power required** by the system. The transport is facilitated thanks to two **through guides** provided on the bottom of the machine for **handling** by forklift or forklift. The **extractor** can be equipped with an **absolute H14 filter** as a support for the **main filter unit**. **Perfect solution** for any type of large **centralized system** that requires **several simultaneous suction points** or needs to transport large quantities of material.



**POTENZA**  
18,5 kW

**DATI TECNICI****MOTORE**

Tipologia	side channel blower
Voltaggio	400V
Massimo vuoto	550mBar
Vuoto in continuo	380mBar
Massima portata d'aria	1.180m3/h
Valvola di sicurezza	included
Frequenza	50/60Hz
Potenza	25HP



## OPZIONI



## SISTEMI DI PULIZIA FILTRO DISPONIBILI



### SP

Pulizia cartucce in controcorrente d'aria  
Filtro antistatico classe M (EN 60335-2-69)  
3 Cartucce poliestere antistatico  
9 m<sup>2</sup> superficie filtrante